

**MATERIAL SAFETY DATA SHEET**

OSTREM CHEMICAL CO. LTD.  
2310 - 80 AVENUE  
EDMONTON AB T6P 1N2

Phone: (780) 440-1911  
In Case of Emergency Only:  
Phone CANUTEC: (613) 996-6666

Date completed: Mar. 31, 2000

**PRODUCT NAME:** CARPET EXTRACTION POWDER PLUS **CODE: J802**  
**OTHER NAME: CONSUMER CARE™ CARPET EXTRACTION POWDER PLUS**  
**DISTRIBUTED BY: CONSUMER CARE™ JANITORIAL SUPPLIES**

WHMIS CLASSIFICATION: D2B  
TDG CLASSIFICATION: Not Regulated

---

<b>HAZARDOUS INGREDIENTS</b>	<b>%WT/WT</b>	<b>CAS NO.</b>	<b>TOXICITY DATA (LD<sub>50</sub> &amp; LC<sub>50</sub>)</b>
Sodium Metasilicate	7-13	6834-92-0	LD <sub>50</sub> Oral (rat) 847 mg/kg
Sodium Carbonate	10-30	497-19-8	LD <sub>50</sub> Oral (rat) 2800 mg/kg ACGIH TLV - 10 mg/m <sup>3</sup>
Diethylene Glycol Monomethyl Ether	1-5	111-90-0	LD <sub>50</sub> Oral (rat) 10,502 mg/kg LD <sub>50</sub> Dermal (rabbit) 9143 mg/kg

---

**PHYSICAL DATA FOR PRODUCT**

Physical State: Solid Sp. Gravity: Not Avail. pH: 1% sol - 9.5-10  
Boiling Point: N/A Vapour Pressure: N/A  
Vapour Density: N/A Evaporation Rate: N/A  
Freezing Point: N/A  
Solubility in Water: 10 %  
Appearance & Odour: White granular powder with lemon odour.

**FIRE AND EXPLOSION DATA FOR PRODUCT**

Flash Point (Test Method): N/A  
Flammable Limits in Air, % by vol. Non-flammable Lower: N/A Upper: N/A  
Fire Extinguishing Substances: (X) Water Fog ( ) Foam ( ) CO<sub>2</sub>  
( ) Dry Chem ( ) Other:  
Hazardous Combustion Products: May liberate carbon monoxide, carbon dioxide, oxides of sodium and phosphorous oxides.  
Special Firefighting Procedures: As for surrounding fire.

**REACTIVITY DATA FOR PRODUCT**

Incompatibility: ( ) Water (X) Oxidizing Material (X) Acid ( ) Base ( ) Other:

Hazardous Decomposition Products: For thermal decomposition, See Hazardous Combustion Products.

Chemical Stability: Stable under normal conditions.

\*N/A - Not applicable.

Product Name: **CARPET EXTRACTION POWDER PLUS**

**HEALTH HAZARD INFORMATION FOR PRODUCT**

**EMERGENCY and FIRST AID PROCEDURES**

Inhalation: Remove from exposure. Get fresh air.

Ingestion: Do not induce vomiting. Drink milk, egg whites, gelatin solution or large quantities of water. Get medical attention.

Eyes: Flush with plenty of water for at least 15 minutes.

Skin: Flush with plenty of water.

**EFFECTS OF OVEREXPOSURE (Acute and Chronic)**

Inhalation: Large amounts of dust may cause irritation of the respiratory tract.

Ingestion: May cause nausea, abdominal pain and diarrhea.

Eyes: Causes temporary discomfort and irritation.

Skin: Prolonged contact may cause irritation and defatting of tissue.

**PREVENTIVE MEASURES**

Steps to be taken upon release or spillage (including neutralizing):

Sweep, scoop or vacuum discharged material. Flush residue with water. Observe environmental regulations.

Waste disposal method:

Dispose according to local, provincial and federal regulations. Flush residue with water. Observe environmental regulations.

Handling and Storage Requirements:

Store in cool, dry area. Prolonged storage may cause product to cake and become wet from atmospheric moisture.

Ventilation Requirements (Local or General):

Use with adequate ventilation.

Respiratory Protection:

Dust mask should be worn where dust occurs.

Eye Protection:

Safety glasses or chemical workers goggles.

Other Protection:

Rubber gloves and coveralls should be worn to minimize contact with skin.